AMENDMENTS TO THE CLAIMS

The following claim set replaces all prior versions, and listings, of claims in the application:

1. (Previously Presented) A crystalline synthetic resin composition comprising a crystalline synthetic resin, and a nucleating effective amount of a phosphoric acid aromatic ester metal salt nucleating agent having an average major-axis length of 10 μ m or less, an average aspect ratio of 10 or less, and a bulk specific gravity of at least 0.1, the phosphoric acid aromatic ester metal salt nucleating agent being represented by the following formula (I):

wherein R¹ represents a C4-C8 alkyl group, R² represents a hydrogen atom or a C1-C8 alkyl group, R³ represents a C1-C4 alkylidene group, A represents a metal having a valence of n, and n is an integer of 1 or 2.

2. (Previously Presented) The crystalline synthetic resin composition according claim 1, wherein the average major-axis length of the phosphoric acid aromatic ester metal salt nucleating agent is 5 μ m or less.

HARUNA et al Serial No. 10/009,304 March 29, 2006

- 3. (Previously Presented) The crystalline synthetic resin composition according to claim 1, wherein the metal represented by A is an alkali metal.
- 4. (Previously Presented) The crystalline synthetic resin composition according to claim 1 wherein the compound represented by formula (I) is a compound represented by formula (II):

$$t-C_4H_9$$

$$CH_2$$

$$P-O$$

$$t-C_4H_9$$

$$t-C_4H_9$$

$$t-C_4H_9$$

- 5. (Previously Presented) The crystalline synthetic resin composition according to claim 1, wherein the phosphoric acid aromatic ester metal salt nucleating agent is present in an amount between 0.001-10 parts by weight, based on 100 parts by weight of the crystalline synthetic resin.
- 6. (Previously Presented) The crystalline synthetic resin composition according to claim 5, wherein the phosphoric acid aromatic ester metal salt nucleating agent is present in an amount between 0.01-5 parts by weight.
- 7. (New) A nucleating agent comprising a phosphoric acid aromatic ester metal salt nucleating agent having an average major-axis length of 10 μ m or less, an average aspect ratio of 10 or less, and a bulk specific gravity of at least 0.1, the phosphoric acid

HARUNA et al Serial No. 10/009,304 March 29, 2006

aromatic ester metal salt nucleating agent being represented by the following formula (I):

wherein R¹ represents a C4-C8 alkyl group, R² represents a hydrogen atom or a C1-C8 alkyl group, R³ represents a C1-C4 alkylidene group, A represents a metal having a valence of n, and n is an integer of 1 or 2.

- 8. (New) The nucleating agent according claim 7, wherein the average major-axis length of the phosphoric acid aromatic ester metal salt nucleating agent is 5 μ m or less.
- 9. (New) The nucleating agent according to claim 7, wherein the metal represented by A is an alkali metal.
- 10. (New) The nucleating agent according to claim 7 wherein the compound represented by formula (I) is a compound represented by formula (II):

HARUNA et al Serial No. 10/009,304 March 29, 2006

$$t-C_4H_9$$

$$CH_2$$

$$P-O^- Na^+$$

$$t-C_4H_9$$

$$t-C_4H_9$$

11. (New) A synthetic resin composition comprising a synthetic resin and a nucleating effective amount of a nucleating agent as in claim 7.